



2025

Operational profiles


MINING TO EMPOWER PEOPLE
AND ADVANCE SOCIETIES

Operational profile 2025

Sukari

Africa

Sukari is one of six AngloGold Ashanti operations in Africa



AngloGold Ashanti acquired the Sukari gold mine in Egypt through the acquisition of Centamin plc in November 2024. Sukari is owned in partnership with the Egyptian Government.

Sukari is located approximately 750km from Cairo and 25km from Marsa Alam on the Red Sea. First gold was poured in June 2009 and commercial production began in April 2010, making Sukari the first modern gold mine in Egypt, a country which in ancient times was a prolific producer of the precious metal. Sukari conducts both open-pit and underground mining operations, each employing specialised mining methods tailored to the orebody characteristics and operational requirements.

The 12Mtpa processing plant features crushing, grinding, flotation and CIL circuits.

Gold produced

500,000oz

(2024: 40,000oz)

Mineral Reserve (attributable)⁽¹⁾

2.36Moz

at 31 December 2025

(31 December 2024: 2.41Moz)

All-in sustaining cost

\$1,094/oz

(2024: \$1,858/oz)

Capital expenditure

\$262m

(2024: \$20m)



Operational profile 2025 *continued*Sukari ⁽¹⁾ – key performance statistics

	Units	2025	⁽²⁾ 2024	2023
Operating performance				
Average recovered grade	g/t	1.26	0.97	—
Tonnes treated/milled	Mt	12.37	1.28	—
Gold production	000oz	500	40	—
Total cash costs	\$/oz	783	1,165	—
All-in sustaining costs	\$/oz	1,094	1,858	—
Capital expenditure	\$m	262	20	—
Productivity	oz/TEC	14.29	11.63	—
Safety performance				
No. of fatalities		0	0	—
Total recordable injury frequency rate (TRIFR)	per million hours worked	0.92	1.15	—
People				
Total average number of employees		4,893	5,503	—
– Permanent		2,354	2,435	—
– Contractors		2,539	3,068	—
Environmental performance				
No. of reportable environmental incidents		0	0	—
Water withdrawal	ML	7,758	558.12	—
Water use efficiency	kL/t	0.63	0.43	—
Energy consumption	PJ	5.91	0.42	—
Energy intensity	GJ/t	0.48	0.49	—
Greenhouse gas (GHG) emissions	000t	418	31	—
GHG emissions intensity	kg CO ₂ e/t	34	36	—
Cyanide use	t	11,293	753	—
Total rehabilitation liabilities	\$m	46	51	—
Social performance				
Community investment	\$m	0.36	0.08	—
Payments to government ⁽³⁾⁽⁴⁾	\$m	612	71	—

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ 2024 Data is reported for the period from the date of acquisition, 22 November 2024 to 31 December 2024

⁽³⁾ Includes the dividends/profit share paid to the Egyptian government

⁽⁴⁾ "Payments to government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements

Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

Iduapriem

Africa

Iduapriem is one of two AngloGold Ashanti operations in Ghana, and one of six in Africa.



Gold produced
199,000oz

(2024: 237,000oz)

Mineral Reserve ⁽¹⁾
2.15Moz
at 31 December 2025

(31 December 2024: 1.79Moz)

All-in sustaining cost
\$2,096/oz

(2024: \$1,614/oz)

Capital expenditure
\$173m

(2024: \$169m)



Iduapriem is located in the Western region of Ghana, some 70km north of the coastal city of Takoradi and approximately 10km southwest of the town of Tarkwa.

The mine is a multiple open pit operation with a three-stage crushing circuit and CIL processing plant.



Operational profile 2025 *continued*Iduapriem ⁽¹⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance				
Average recovered grade	g/t	1.21	1.36	1.54
Tonnes treated/milled	Mt	5.12	5.41	5.43
Gold production	000oz	199	237	268
Total cash costs	\$/oz	1,482	1,118	943
All-in sustaining costs	\$/oz	2,096	1,614	1,329
Capital expenditure	\$m	173	169	142
Productivity	oz/TEC	13.93	17.47	21.27
Safety performance				
No. of fatalities		0	0	0
Total recordable injury frequency rate (TRIFR)	per million hours worked	0.64	0.80	0.37
People				
Total average number of employees		2,660	2,538	2,359
– Permanent		705	692	689
– Contractors		1,955	1,846	1,670
Environmental performance				
No. of reportable environmental incidents		1	0	0
Water withdrawal	ML	745	483	454
Water use efficiency	kL/t	0.15	0.09	0.08
Energy consumption	PJ	1.83	1.95	1.87
Energy intensity	GJ/t	0.36	0.36	0.34
Greenhouse gas (GHG) emissions	000t	148	161	154
GHG emissions intensity	kg CO ₂ e/t	29	30	28
Cyanide use	t	1,205	1,267	1,348
Total rehabilitation liabilities	\$m	55	48	45
Social performance				
Community investment	\$m	4.81	1.63	1.34
Payments to government ⁽²⁾	\$m	177	114	98

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ "Payments to Government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements

Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

Obuasi

Africa

Obuasi is one of two AngloGold Ashanti operations in Ghana, and one of six in Africa.



Gold produced
266,000oz

(2024: 221,000oz)

Mineral Reserve ⁽¹⁾
7.06Moz
at 31 December 2025

(31 December 2024: 6.75Moz)

All-in sustaining cost
\$2,026/oz

(2024: \$1,942/oz)

Capital expenditure
\$209m

(2024: \$202m)




Obuasi is located in the Ashanti region of Ghana, approximately 60km south of Kumasi. Mining operations are primarily underground to a depth of 1,500m.

Following approval from the Government of Ghana, the Obuasi redevelopment project began in late 2018. Completion of phases 1 and 2 of the project took ore production capacity to 4,000tpd by mid-2022 with infrastructure including a 2.2Mtpa processing plant.

Phase 3 was successfully completed in late 2024, delivering the infrastructure to support a further ramp-up in ore production capacity.

A hybrid mining approach was embedded in 2025, combining underhand drift and fill (UHDF) methods for higher grade areas with poor ground conditions, with conventional sub-level open stoping (SLOS) for lower grade areas with more stable ground conditions.



Operational profile 2025 *continued*Obuasi ⁽¹⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance				
Average recovered grade	g/t	6.19	5.35	5.45
Tonnes treated/milled	Mt	1.34	1.29	1.28
Gold production	000oz	266	221	224
Total cash costs	\$/oz	1,325	1,214	1,114
All-in sustaining costs	\$/oz	2,026	1,942	1,777
Capital expenditure	\$m	209	202	214
Productivity	oz/TEC	8.49	7.59	8.05
Safety performance				
No. of fatalities		0	0	1
Total recordable injury frequency rate (TRIFR)	per million hours worked	0.69	0.75	0.79
People				
Total average number of employees		5,566	5,595	5,376
– Permanent		1,197	1,268	1,186
– Contractors		4,369	4,327	4,190
Environmental performance				
No. of reportable environmental incidents		1	1	1
Water withdrawal	ML	1,052	1,802	2,379
Water use efficiency	kL/t	0.79	1.40	1.86
Energy consumption	PJ	1.68	1.54	1.41
Energy intensity	GJ/t	1.26	1.20	1.11
Greenhouse gas (GHG) emissions	000t	156	149	138
GHG emissions intensity	kg CO ₂ e/t	117	116	108
Cyanide use	t	1,021	835	926
Total rehabilitation liabilities	\$m	160	148	168
Social performance				
Community investment	\$m	5.92	2.91	2.45
Payments to government ⁽²⁾	\$m	84	61	46

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ "Payments to government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements


Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

Siguiri

Africa

Siguiri in Guinea is one of six AngloGold Ashanti operations in Africa.



Siguiri is a multiple open-pit gold mine around 850km north-east of Guinea's capital, Conakry. AngloGold Ashanti holds an 85% interest in the operation with the remaining 15% held in trust for the nation by the Government of Guinea.

The mined ore is processed using an upgraded CIL plant that can treat up to 50% fresh rock and 50% soft ore, resulting in a total throughput of 11.8Mtpa. Siguiri is contractor-mined using conventional open-pit techniques.

Gold produced

289,000oz

(2024: 273,000oz)

Mineral Reserve (attributable) ⁽¹⁾

2.16Moz

at 31 December 2025

(31 December 2024: 2.13Moz)

All-in sustaining cost

\$2,165/oz

(2024: \$2,093/oz)

Capital expenditure

\$102m

(2024: \$102m)



Operational profile 2025 *continued*Sigüiri ⁽¹⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance ⁽²⁾				
Average recovered grade	g/t	0.83	0.76	0.74
Tonnes treated/milled	Mt	10.81	11.10	10.97
Gold production	000oz	289	273	260
Total cash costs	\$/oz	1,783	1,703	1,650
All-in sustaining costs	\$/oz	2,165	2,093	1,976
Capital expenditure	\$m	102	102	78
Productivity	oz/TEC	14.07	15.35	14.47
Safety performance				
No. of fatalities		0	0	0
Total recordable injury frequency rate (TRIFR)	per million hours worked	0.22	0.11	0.00
People				
Total average number of employees		4,284	4,271	4,277
– Permanent		2,181	2,236	2,065
– Contractors		2,103	2,035	2,212
Environmental performance				
No. of reportable environmental incidents		1	0	0
Water withdrawal	ML	6,538	8,403	7,178
Water use efficiency	kL/t	0.60	0.76	0.65
Energy use	PJ	3.33	3.37	3.11
Energy intensity	GJ/t	0.31	0.30	0.28
Greenhouse gas (GHG) emissions	000t	255	258	239
GHG emissions intensity	kg CO ₂ e/t	24	23	22
Cyanide use	t	4,535	5,014	3,592
Total rehabilitation liabilities	\$m	63	56	52
Social performance				
Community investment	\$m	4.59	3.37	2.27
Payments to government ⁽³⁾	\$m	143	76	61.4

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ AngloGold Ashanti revised the basis of its reporting for 2024 and consequently, as a managed operation, Sigüiri is now reported on a consolidated basis. The 2023 data has been restated accordingly

⁽³⁾ "Payments to government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements

Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

Geita

Africa

Geita is one of six AngloGold Ashanti operations in Africa.



Gold produced
492,000oz

(2024: 483,000oz)

Mineral Reserve ⁽¹⁾
4.02Moz
at 31 December 2025

(31 December 2024: 3.25Moz)

All-in sustaining cost
\$1,525/oz

(2024: \$1,418/oz)

Capital expenditure
\$238m


(2024: \$196m)



Geita, is located in north-western Tanzania, in the Lake Victoria goldfields of the Mwanza region, about 120km from Mwanza and 4km west of the town of Geita.

Geita hosts the Nyamulilima open pit mine and three underground mines.

The existing CIL processing plant has an annual capacity of 5.2Mt.



Operational profile 2025 *continued*

Geita ⁽¹⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance				
Average recovered grade	g/t	2.94	2.76	2.75
Tonnes treated/milled	Mt	5.21	5.45	5.48
Gold production	000oz	492	483	485
Total cash costs	\$/oz	1,038	984	984
All-in sustaining costs	\$/oz	1,525	1,418	1,403
Capital expenditure	\$m	238	196	191
Productivity	oz/TEC	12.03	12.50	13.73
Safety performance				
No. of fatalities		0	1	0
Total recordable injury frequency rate (TRIFR)	per million hours worked	0.19	0.24	0.25
People				
Total average no. of employees		7,508	7,035	6,839
– Permanent		2,373	2,360	2,356
– Contractors		5,135	4,675	4,483
Environmental performance				
No. of reportable environmental incidents		0	0	0
Water withdrawal	ML	3,107	2,679	4,275
Water use efficiency	kL/t	0.60	0.49	0.78
Energy consumption	PJ	3.32	3.93	3.90
Energy intensity	GJ/t	0.64	0.72	0.71
Greenhouse gas (GHG) emissions	000t	232	295	291
GHG emissions intensity	kg CO ₂ e/t	45	54	53
Cyanide use	t	1,920	1,734	1,743
Total rehabilitation liabilities	\$m	63	64	65
Social performance				
Community investment	\$m	5.33	4.33	4.62
Payments to government ⁽²⁾	\$m	543	267	215

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ "Payments to government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines

Restatements


Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

Kibali

Africa

One of six AngloGold Ashanti operations in Africa



Gold produced
303,000oz

(2024: 309,000oz)

Mineral Reserve (attributable) ⁽¹⁾
4.81Moz
at 31 December 2025

(31 December 2024: 4.57Moz)

All-in sustaining cost
\$1,317/oz

(2024: \$1,146/oz)

Capital expenditure
\$151m

(2024: \$125m)



Kibali, one of the largest gold mines (by production) of its kind in Africa, is situated adjacent to the village of Doko, 150 km west of the Ugandan border town of Arua. Kibali is co-owned in a joint venture by AngloGold Ashanti (45%), Barrick Mining Corporation (45%) and Société Minière de Kilo-Moto S.A. (SOKIMO) (10%), which represents the interest of the DRC government.

Barrick manages and operates the mine which has both open-pit and underground operations.

The metallurgical plant comprises a twin-circuit sulphide and oxide plant with conventional carbon-in-leach (CIL), including gravity recovery as well as a float and ultra-fine grind circuit.



Operational profile 2025 *continued*

Kibali ⁽¹⁾ ⁽²⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance				
Average recovered grade	g/t	2.52	2.51	2.89
Tonnes treated/milled	Mt	3.75	3.83	3.70
Gold production	000oz	303	309	343
Total cash costs	\$/oz	1,148	935	802
All-in sustaining costs	\$/oz	1,317	1,146	951
Capital expenditure	\$m	151	125	85
Productivity	oz/TEC	11.65	12.66	17.56
People				
Total average number of employees		3,173	2,988	2,883
– Permanent		1,005	950	1,014
– Contractors		2,168	2,038	1,869
Environmental performance				
Total rehabilitation liabilities	\$m	111	14.6	14.1
Social performance				
Community investment	\$m	0.89	2.01	1.92
Payments to government ⁽³⁾	\$m	281	129.6	94.3

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ Environmental and safety information for Kibali is reported by the joint venture partner and manager of the operation, Barrick Mining Corporation

⁽³⁾ "Payments to Government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements

Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

AGA Mineração

Americas

AGA Mineração is currently one of two AngloGold Ashanti operations in the Americas region.



AGA Mineração comprises the Cuiabá and Lamego mining operations, and the Córrego do Sítio (CdS) site, which is on care and maintenance, in southeastern Brazil, in the state of Minas Gerais.

The Cuiabá and Lamego operations are 30km from the state capital (Belo Horizonte) while CdS is around 100km away. The Cuiabá mining complex, which includes the Cuiabá and Lamego underground mines and Cuiabá and Queiroz plants, has been in operation for over 30 years and Lamego for 10 years.

The Cuiabá mine has changed from cut-and-fill to sub-level stoping, increasing the contribution from narrow-vein orebodies to the mine's total production and improving rock-engineering controls related to support, design and monitoring.

Ore from the Cuiabá and Lamego mines is processed at the Cuiabá gold plant. The concentrate produced is transported by aerial ropeway to the Queiroz plant for processing and refining. Total annual capacity of the complete Cuiabá circuit is 1.75Mt. Operations at the Queiroz metallurgical plant, which were suspended in 2023, resumed during the course of 2024.

The CdS complex, comprising an open-pit mine and an underground mine, remains on care and maintenance.



Gold produced

273,000oz

(2024: 271,000oz)

Mineral Reserve ⁽¹⁾

1.86Moz

at 31 December 2025

(31 December 2024: 1.62Moz)

All-in sustaining cost

\$1,506/oz

(2024: \$1,334/oz)

Capital expenditure

\$135m

(2024: \$98m)

Operational profile 2025 *continued*AGA Mineração ⁽¹⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance				
Average recovered grade ^{(2) (3)}	g/t	5.23	5.90	4.82
Tonnes treated/milled ^{(2) (3)}	Mt	1.62	1.43	1.63
Gold production ^{(2) (3)}	000oz	273	271	252
Total cash costs ^{(2) (3)}	\$/oz	976	876	1,041
All-in sustaining costs ⁽³⁾	\$/oz	1,506	1,334	1,615
Capital expenditure	\$m	135	98	124
Productivity ⁽³⁾	oz/TEC	6.85	9.97	9.44
Safety performance				
No. of fatalities		0	0	0
Total recordable injury frequency rate (TRIFR)	per million hours worked	1.17	1.37	2.16
People				
Total average no. of employees		6,242	4,968	4,887
– Permanent		3,006	2,755	3,215
– Contractors		3,236	2,213	1,672
Environmental performance				
No. of reportable environmental incidents		0	0	0
Water withdrawal	ML	4,521	3,313	4,737
Water use efficiency	kL/t	2.78	2.32	2.19
Energy consumption	PJ	1.53	1.34	1.58
Energy intensity	GJ/t	0.94	0.94	0.73
Greenhouse gas (GHG) emissions	000t	36	27	35
GHG emissions intensity	kg CO ₂ e/t	22	19	16
Cyanide use	t	173	102	310
Total rehabilitation liabilities	\$m	131	91	90
Social performance				
Community investment	\$m	0.48	0.26	0.28
Payments to government ⁽⁴⁾	\$m	208	81	72

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ Includes gold concentrate from the Cuiabá mine sold to third parties

⁽³⁾ Data for 2023 have been adjusted to exclude the Córrego do Sítio (CdS) operation that was placed on care and maintenance in August 2023

⁽⁴⁾ "Payments to Government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements


Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

Cerro Vanguardia

Americas

Cerro Vanguardia is currently one of two AngloGold Ashanti operations in the Americas.



Gold produced
179,000oz

(2024: 175,000oz)

Mineral Reserve (attributable) ⁽¹⁾
0.70Moz
at 31 December 2025

(31 December 2024: 0.67Moz)

All-in sustaining cost
\$1,726/oz

(2024: \$1,544/oz)

Capital expenditure
\$64m

(2024: \$71m)



Cerro Vanguardia, in which AngloGold Ashanti has a 92.5% stake, is the Company's sole operation in Argentina. Fomicruz SE, a state company, owns the remaining 7.5%.

The operation is in the province of Santa Cruz and operates multiple small open pits with high stripping ratios and multiple narrow-vein underground mines that produce gold with silver as a by-product.

The metallurgical plant has a daily capacity estimated at 3,500tpd (1.2Mtpa). In addition to the processing plant there is a heap leach pad with an annual capacity of 2Mtpa.



Operational profile 2025 *continued*Cerro Vanguardia ⁽¹⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance ⁽²⁾				
Average recovered grade	g/t	1.72	1.67	1.68
Tonnes treated/milled	Mt	3.25	3.27	3.04
Gold production	000oz	179	175	164
Silver production	Moz	3.3	3.4	4.4
Total cash costs	\$/oz	1,227	1,073	1,045
All-in sustaining costs	\$/oz	1,726	1,544	1,581
Capital expenditure	\$m	64	71	75
Productivity	oz/TEC	12.45	12.04	11.38
Safety performance				
No. of fatalities		0	0	0
Total recordable injury frequency rate (TRIFR)	per million hours worked	1.49	1.73	0.75
People				
Total average no. of employees		1,870	1,867	1,841
– Permanent		1,222	1,192	1,182
– Contractors		648	675	659
Environmental performance				
No. of reportable environmental incidents		0	0	0
Water withdrawal	ML	1,491	1,181	1,356
Water use efficiency	kL/t	0.43	0.36	0.45
Energy consumption	PJ	1.67	1.65	1.69
Energy intensity	GJ/t	0.48	0.51	0.56
Greenhouse gas (GHG) emissions	000t	106	104	106
GHG emissions intensity	kg CO ₂ e/t	31	32	35
Cyanide use	t	1,290	1,036	1,132
Total rehabilitation liabilities	\$m	111	107	101
Social performance				
Community investment	\$m	2.45	3.92	3.18
Payments to government ⁽³⁾	\$m	162	89	96

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ AngloGold Ashanti revised the basis of its reporting for 2024 and consequently, as a managed operation, Cerro Vanguardia is now reported on a consolidated basis. The 2023 data has been restated accordingly

⁽³⁾ "Payments to Government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements

Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

Sunrise Dam

Australia

One of two AngloGold Ashanti operations in the northeastern goldfields of the state of Western Australia



Gold produced
232,000oz

(2024: 259,000oz)

Mineral Reserve ⁽¹⁾
1.00Moz
at 31 December 2025

(31 December 2024: 0.97Moz)

All-in sustaining cost
\$2,078/oz

(2024: \$1,665/oz)

Capital expenditure
\$87m

(2024: \$65m)



Wholly owned by AngloGold Ashanti, Sunrise Dam is located some 205km north-northeast of Kalgoorlie and 55km south of Laverton in Western Australia.

Underground mining, carried out by contract mining company Barminto, is the primary source of ore, supplemented by satellite open pit ore.

Mining of the Golden Delicious pit was completed in 2023 by indigenous mining contractor Carey Mining, which was then awarded a new four-year contract to mine a further three satellite open pits.

Processing at Sunrise Dam is via a conventional three-stage crushing / two-stage ball milling, pyrite flotation and ultrafine grinding and CIL circuit. The gravity circuit recovers approximately 30% of the gold, with the CIL circuit, used to recover the remainder. Plant throughput at Sunrise Dam is approximately 4.1Mtpa.



Operational profile 2025 *continued*Sunrise Dam ⁽¹⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance				
Average recovered grade	g/t	1.86	2.07	2.01
Tonnes treated/milled	Mt	3.87	3.89	3.90
Gold production	000oz	232	259	252
Total cash costs	\$/oz	1,634	1,343	1,318
All-in sustaining costs	\$/oz	2,078	1,665	1,583
Capital expenditure	\$m	87	65	47
Productivity	oz/TEC	23.79	28.08	27.58
Safety performance				
No. of fatalities		0	0	0
Total recordable injury frequency rate (TRIFR)	per million hours worked	2.88	2.32	3.23
People				
Total average number of employees		813	767	763
– Permanent		164	156	163
– Contractors		649	611	600
Environmental performance				
No. of reportable environmental incidents		0	0	0
Water withdrawal	ML	1,979	1,685	2,231
Water use efficiency	kL/t	0.51	0.43	0.57
Energy consumption	PJ	3.09	2.92	2.94
Energy intensity	GJ/t	0.80	0.75	0.75
Greenhouse gas (GHG) emissions	000t	173	164	165
GHG emissions intensity	kg CO ₂ e/t	45	42	42
Cyanide use	t	1,853	1,902	2,166
Total rehabilitation liabilities	\$m	47	45	39
Social performance				
Community investment ⁽²⁾	\$m	0.91	0.74	0.85
Payments to government ⁽³⁾	\$m	150	96	35

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ Total community investment for both Sunrise Dam and Tropicana

⁽³⁾ "Payments to Government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements

Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.

Operational profile 2025

Tropicana

Australia

One of two AngloGold Ashanti operations in the northeastern goldfields of the state of Western Australia



Gold produced

305,000oz

(2024: 313,000oz)

Mineral Reserve (attributable) ⁽¹⁾

1.34Moz

at 31 December 2025

(31 December 2024: 1.35Moz)

All-in sustaining cost

\$1,508/oz

(2024: \$1,297/oz)

Capital expenditure

\$98m

(2024: \$88m)



Tropicana is a joint venture between AngloGold Ashanti (70%), as operator, and AFB Resources (Pty) Limited, a subsidiary of Regis Resources Limited (30%).


The operation is located 330km northeast of Kalgoorlie and 200km east of Laverton in the state of Western Australia.

Tropicana is a large open-pit operation, with a growing underground mining component. The site's first underground mine beneath the Boston Shaker pit began production in September 2020 and was followed by the Tropicana underground mine. The Havana underground mine is scheduled to begin ore production in the first half of 2027.

Open pit and underground mining activities are carried out by mining contractor Macmahon Holdings.

The processing plant has a capacity of 9.4Mtpa.

A large renewable energy facility was completed at the site in early 2025.



Operational profile 2025 *continued*

Tropicana ⁽¹⁾ – key performance statistics

	Units	2025	2024	2023
Operating performance				
Average recovered grade	g/t	1.47	1.56	1.45
Tonnes treated/milled	Mt	6.46	6.24	6.64
Gold production	000oz	305	313	310
Total cash costs	\$/oz	1,330	1,132	1,105
All-in sustaining costs	\$/oz	1,508	1,297	1,304
Capital expenditure	\$m	98	88	87
Productivity	oz/TEC	26.11	25.85	26.42
Safety performance				
No. of fatalities		0	0	0
Total recordable injury frequency rate (TRIFR)	per million hours worked	3.16	2.57	3.45
People				
Total average number of employees		974	1,010	978
– Permanent		202	208	184
– Contractors		772	802	794
Environmental performance				
No. of reportable environmental incidents		0	0	0
Water withdrawal	ML	5,828	4,055	5,801
Water use efficiency	kL/t	0.63	0.45	0.61
Energy consumption	PJ	4.76	5.08	5.44
Energy intensity	GJ/t	0.52	0.57	0.57
Greenhouse gas (GHG) emissions	000t	264	299	323
GHG emissions intensity	kg CO ₂ e/t	29	34	34
Cyanide use	t	731	651	710
Total rehabilitation liabilities	\$m	49	40	40
Social performance				
Community investment ⁽²⁾	\$m	0.91	0.74	0.85
Payments to government ⁽³⁾	\$m	187	78	37

⁽¹⁾ For additional information, see AngloGold Ashanti's 2025 Mineral Resource and Mineral Reserve Report and Annual Report on Form 20-F for the financial year ended 31 December 2025

⁽²⁾ Total community investment for both Sunrise Dam and Tropicana

⁽³⁾ "Payments to Government" data included has not been calculated using the same methodology as the information which will be disclosed by AngloGold Ashanti in its 2025 Resource Extraction Payment Report to be filed on Form SD with the U.S. Securities and Exchange Commission ("SEC") pursuant to the SEC's rules on disclosure of payments to governments by resource extraction issuers. "Payments to Government" data herein has been calculated in accordance with the GRI Framework Guidelines.

Restatements

Ongoing improvements to our data collection systems and measurement methodologies can result in restatements of previously reported data. Restatements of information will be provided when a change in measurement methodology or an error in previously reported information results in the potential to influence a users' decision-making. Restatements will also be provided if there are significant changes in reporting parameters (e.g., mergers, acquisitions, divestments, etc.). Such restatements are included as footnotes where applicable.